Indexes to Corrosion Vol. 55, Nos. 1-12 Title Index

January (No. 1)	Localized Corrosion and Stress Corrosion Cracking
Mechanism of Activation of Aluminum by Low-Melting	Resistance of Friction Stir Welded Aluminum
Point Elements: Part 2 — Effect of Zinc on Activation of Aluminum in Pitting Corrosion	Alloy 5454 G.S. Frankel and Z. Xia
F. Sato and R.C. Newman	Al-Zn: Part 2 — Impedance Model for Inhibitor- Modified Surface
Effect of Silicate on Passive Films Anodically Formed on Iron in Alkaline Solution as Studied by	S.F. Mertens, C. Xhoffer, B.C. De Cooman, and E. Temmerman
Electrochemical Impedance Spectroscopy S.T. Amaral and I.L. Muller	on Iron Corrosion in Aerated Sodium Sulfate Solution K. Aramaki
Solution Containing Hydrogen Sulfide and Cyanide Ion K. Yamakawa and R. Nishimura	Test Method and Preliminary Test Results M. Mayuzumi, K. Hide, T. Onchi, T.M. Karlsen, and
Predictive Models for Determination of Pitting Corrosion Versus Inhibitor Concentrations and Temperature for Radioactive Sludge in Carbon Steel Waste Tanks J. Leifer, P.E. Zapp, and J.I. Mickalonis	C. Vitanza
Low-Temperature Stress Corrosion Cracking of Alloy 601 in Thiosulfate and Chloride Solutions J.G. Gonzalez-Rodriguez, V.M. Salinas-Bravo, and	EN82H Welds, and EN52 Welds C.M. Brown and W.J. Mills
A. Martinez-Villafañe	Resistance of Type 444 Stainless Steel N.J.E. Dowling, YH. Kim, SK. Ahn, and YD. Lee 187 Effect of Induced Alternating Current Voltage on Cathodically Protected Pipelines Paralleling Electric Power Transmission Lines
V. Casal	F. Kajiyama and Y. Nakamura
Eight-Year Atmospheric Corrosion Exposure of Steels in China	A. Turnbull
W. Hou and C. Liang	March (No. 3)
Evaluating Cathodic Protection Reliability on Steel Pipe in Microbially Active Soils F. Kajiyama and K. Okamura	Comparison of Corrosion Protection Provided by a Non-Volatile Organic Compound Epoxy and a Marine Epoxy Primer
in 288°C Water Containing Oxygen, Hydrogen, and Hydrogen Peroxide YJ. Kim	M.W. Kendig, HS. Ryang, TL. Liao, and S.L. Jeanjaquet
Corrosion Rate and Anodic Dissolution Behavior of a B2-Iron Aluminide Alloy in Sulfuric Acid S. Frangini	DT. Chin and G.M. Sabde
Hydrogen-Facilitated Anodic Dissolution-Type Stress Corrosion Cracking of Pipeline Steels in Near-Neutral pH Solution	Mössbauer Spectrometry, X-Ray Diffractometry, and X-Ray Photoelectron Spectrometry K. Kurosawa, HL. Li, Y. Ujihira, and K. Nomura 238
B. Gu, J. Luo, and X. Mao	Influence of Product Type on Stress Corrosion Cracking of Alloy 600
February (No. 2)	D. Gómez-Briceño, F. Blázquez, and F. Hernández 248
Effect of Velocity on Current Density for Cathodically Polarized Steel in Seawater D. Hugus and W.H. Hartt	Molecular Modeling of the Inhibition of Mild Steel Carbon Dioxide Corrosion by Imidazolines
Electrochemical, Galvanic, and Mechanical Responses of Grade 2 Titanium in 6% Sodium Chloride Solution	S. Ramachandran and V. Jovancicevic

Short-Term Deterioration of Polymer-Coated 55% Al-Zn:	May (No. 5)
Part 3 — Protective Mechanism of Inhibitor-Modified Coatings S.F. Mertens, C. Xhoffer, B.C. De Cooman, and E. Temmerman	Comparison Between Potentiodynamic and Potentiostatic Tests for Pitting Potential Measurement of Duplex Stainless Steels
Technical Note: The 100-mV Potential Decay Cathodic Protection Criterion G.K. Glass	N. Alonso-Falleiros, A. Hakim, and S. Wolynec 443 Inhibition of Carbon Dioxide Corrosion of Mild Steel by Imidazolines and Their Precursors
Corrosion Behavior of Steel in Concrete Made with Slag-Blended Cement C. Dehghanian 291 Transgranular Stress Corrosion Cracking of X-60	V. Jovancicevic, S. Ramachandran, and P. Prince 449 Effect of Noble Metal Addition on Electrochemical Polarization Behavior of Hydrogen Oxidation and Oxygen Reduction on Type 304 Stainless Steel in
Pipeline Steel in Simulated Ground Water XY. Zhang, S.B. Lambert, R. Sutherby, and	High-Temperature Water YJ. Kim
A. Plumtree	Contribution of Solution pH and Buffer Capacity to Suppress Intergranular Stress Corrosion Cracking of Sensitized Type 304 Stainless Steel at 95°C
Horizontal Contactors H.U. Schutt	S. Zhang, T. Shibata, and T. Haruna
and X-52 Pipeline Steels in Dilute Aqueous Solution with Near-Neutral pH B. Gu, W.Z. Yu, J.L. Luo, and X. Mao	Noise Resistance Y.J. Tan, S. Bailey, and B. Kinsella
Significance of Coplanar Macrocells to Corrosion in Concrete-Embedded Steel P. Rodríguez, E. Ramírez, S. Feliu, J.A. González,	Evaluation of a Round-Robin Experiment J. Goellner, A. Burkert, A. Heyn, and J. Hickling 476 Investigation of Some Green Compounds as Corrosion
and W. López	and Scale Inhibitors for Cooling Systems M.A. Quraishi, I.H. Farooqi, and P.A. Saini
April (No. 4)	Development of an Artificial Climatic Complex Accelerated Corrosion Tester and Investigation
A New Approach for Investigation of Erosion-Corrosion Using Local Flow Models	of Complex Accelerated Corrosion Test Methods J. Li, M. Li, and Z. Sun
Y.M. Ferng, Y.P. Ma, K.T. Ma, and N.M. Chung	Fracture Toughness of Line Pipe Steels Under Cathodic Protection Using Crack Tip Opening Displacement Tests
and M. Vazquez 343 Effects of the Valence of Sulfur on Passivation of Alloys 600, 690, and 800 at 25°C and 95°C	N. Hagiwara and N. Oguchi
Z. Fang and R.W. Staehle	JS. Kim and HS. Kwon
JJ. Park, SI. Pyun, WJ. Lee, and HP. Kim 380 Dissolution of Anodic Zirconium Dioxide Films in Aqueous Media	F. Sato and Y. Asakawa
A. Merati and B. Cox	P.P. Trzaskoma-Paulette, S.G. Lambrakos, and H.N. Jones, III
After Cathodic Protection in Seawater	June (No. 6)
G. Salvago and G. Bollini	1999 F.N. Speller Award Lecture: Extending the Limits of Growth Through Development of Corrosion-Resistant Steel Products H.E. Townsend
and D.C. McCune	Corrosion Fatigue Crack Growth Rate in Sensitized Alloy 600 in Thiosulfate Solution at Room Temperature WT. Tsai and CC. Kuoh
R.B. Rebak and S.K. Srivastava	P. Skeldon, X. Zhou, G.E. Thompson, G.C. Wood, H. Habazaki, and K. Shimizu561
L. Bertolini, M.F. Brunella, and S. Candiani	Intergranular Attack and Stress Corrosion Cracking Propagation Behavior of Alloy 600 in High- Temperature Caustic Solution
Polarization Resistance of Steel and the Galvanic Current of Steel-Aluminum Couples During Exposure to Cyclic Humidity G. Gao	H. Kawamura and H. Hirano

Kinetic Studies of Zinc Passivation in Borate Solutions Under Different Conditions E.E. Abd El Aal	Corrosion Behavior of Zinc-Nickel Alloy Electrodeposited Coatings F.J. Fabri Miranda, I.C.P. Margarit, O.R. Mattos,
Effects of Temperature and Thiosulfate on Chloride Pitting of Austenitic Stainless Steels N.J. Laycock	O.E. Barcia, and R. Wiart
Part 3 — Retrofit Cathodic Protection of Offshore Structures W.H. Hartt and S. Chen	YD. Lee
Sensitization Phenomena on Aged SAF 2205 Duplex Stainless Steel and Their Control Using the Electro-	M. Kimura, Y. Miyata, Y. Yamane, T. Toyooka, Y. Nakano, and F. Murase756
chemical Potentiokinetic Reactivation Test E. Angelini, B. De Benedetti, G. Maizza, and F. Rosalbino	Electrochemical Noise Analysis of Galvanized Steel Immersed in Saturated Calcium Hydroxide Solutions L. Diaz-Ballote and L.F. Garfias-Mesias
Control of Alkaline Stress Corrosion Cracking in Pressur- ized-Water Reactor Steam Generator Tubing I.S. Hwang and IG. Park	Intergranular Corrosion in a Martensitic Stainless Steel Detected by Electrochemical Tests N. Alonso-Falleiros, M. Magri, and I.G.S. Falleiros 769
Stress Corrosion Test for Clad Plate Weldments with Compressive Stress Treatment Using the Anti- Welding-Heating Method	Conducting Polymers and Corrosion: Polyaniline on Steel D.E. Tallman, Y. Pae, and G.P. Bierwagen
H.N. Chen, L.S. Chen, Q.H. Lin, and X. Long 626 July (No. 7)	Corrosion Ratios of Steel to Zinc in Natural Corrosion Environments
Investigation of Passive Films on α^2 and γ Titanium	X.G. Zhang
Aluminides by X-Ray Photoelectron Spectroscopy	Heavy Brine Environments
M. Ziomek-Moroz, W. Su, and B.S. Covino, Jr 635	D. Itzhak and T. Greenberg
Role of Microstructures on Stress Corrosion Cracking of Pipeline Steels in Carbonate-Bicarbonate Solution	to Seawater Impingement
H. Asahi, T. Kushida, M. Kimura, H. Fukai, and	T.D. Burleigh and D.H. Waldeck 800
S. Okano	Effect of Aluminum Oxide Diffusion Barrier Layer
Influence of Organic Additives on the Corrosion of Iron- Based Amorphous Alloys in Dilute Sulfuric Acid	on the Oxidation Behavior of Detonation Gun-Sprayed Thermal Barrier Coating at 1,200°C
Solution	X.Q. Ma, Y.M. Rhyim, H.W. Jin, C.G. Park, and
A. Frignani and G. Trabanelli	M.C. Kim 805
Corrosion Inhibition and Photoactivity Behavior of	September (No. 9)
N-Substituted Polycarbazole-Coated Natural Pyrite Electrode	Technical Note: Electrochemical Characteristics
E. Sezer, A. Sezai Saraç, and Ö. Yavuz	of Chromium-Saving Ferritic Stainless Steel
Quantitative Study for Sulfide Stress Corrosion Cracking	K. Hio, M. Tsutsui, and Y. Hosoi
of Tubular Steel	Inhibition of Pitting in Ferrous Materials by Carbonate
W.Y. Chu, L.J. Qiao, Y.B. Wang, and Y.H. Cheng 667 Effect of Silicon Compounds on Stress Corrosion Cracking	as a Function of Temperature and Alkalinity S.T. Adamy and F.R. Cala825
of Alloy 600 in Caustic Solutions	Chloride Removal by Intermittent Cathodic Protection
M. Navas, D. Gómez-Briceño, M. García-Mazario, and	Applied to Reinforced Concrete in the Tidal Zone
A.R. McIlree	A.M. Hassanein, G.K. Glass, and N.R. Buenfeld 840
Galvanic Anode Cathodic Polarization of Steel in Seawater: Part 4 — Conductor Arrays on Petroleum Production	Transmission Electron Microscopic Observations of Embrittlement of an Aluminum Alloy by Liquid Metal
Platforms	X.M. Liu, Y.J. Su, L.J. Qiao, and W.Y. Chu 851
W.H. Hartt and P. Pierson 686	Comparison of Stainless Steels in Simulated
Materials for High-Temperature and High-Pressure	Paper Machine Environments
Hydrogen Peroxide Bleaching Equipment S.J. Clarke and P.H. Clarke	T.M.J. Laitinen
Corrosion Rates of Buried Pipelines Caused	of Electrochemical Noise Generated During
by Geomagnetic Storms	Stress Corrosion Cracking
A. Osella, A. Favetto, and E. López	J.L. Luo and L.J. Qiao 870
Unusual Corrosion of a Drill Pipe in Newly Developed Drilling Mud During Deep Drilling	Influence of Some Parameters on Passivation of Zirconium and the Stability of the Anodic Oxide Film
Y. Tomoe, M. Shimizu, and Y. Nagae	A.S. Mogoda877
	Effect of Distance from Sea on Atmospheric Corrosion Rate
August (No. 8)	S. Feliu, M. Morcillo, and B. Chico
1999 W.R. Whitney Award Lecture: Past, Present,	Hydrogen Embrittlement of Rail Steels W.Y. Chu, J.X. Li, C.H. Huang, Y.B. Wang, and
and Future of Stress Corrosion Cracking J.R. Galvele 723	W. F. Criu, J.A. Li, C.Fi. Fluary, F.B. Wary, and L.J. Qiao

Chemical Composition, Electrochemical, and Morphological Properties of Iron Phosphate Conversion Coatings Y.J. Warburton, D.L. Gibbon, K.M. Jackson, L.F. Gate, A. Rodnyansky, and P.R. Warburton	Boric/Sulfuric Acid Anodizing of Aluminum Alloys 2024 and 7075: Film Growth and Corrosion Resistance G.E. Thompson, L. Zhang, C.J.E. Smith, and P. Skeldon
October (No. 10)	and 4340 Steel Metals Exposed to Sulfate-Reducing
Technical Note: Localization Index Obtained from Electrochemical Noise Analysis F. Mansfeld and Z. Sun	Bacteria P.M. Natishan, J. Jones-Meehan, G.I. Loeb, B.J. Little, R. Ray, and M. Beard
M.A. Quraishi, J. Rawat, and M. Ajmal	of Iron-Chromium-Nickel B. Beverskog and I. Puigdomenech
HJ. Zhang, W.J. Dirk, and G.G. Geesey	J.W. Tester and J.A. Cline
D. Tromans	December (No. 12)
Methyl-Glycine on the Corrosion of Carbon Steel in Neutral Solutions by Electrochemical Techniques M.A. Pech-Canul and L.P. Chi-Canul 948 Corrosion-Sensing Behavior of an Acrylic-Based Coating System J. Zhang and G.S. Frankel 957 Corrosion Inhibition of Mild Steel in 1 M Hydrochloric Acid by 2,5-Bis(2-Aminophenyl)–1,3,4-Oxadiazole F. Bentiss, M. Lagrenee, M. Traisnel, and J.C. Hornez 968 Corrosion Behavior of High-Nickel and Chromium Alloys in Natural Baltic Seawater J. Birn, M. Janik-Czachor, A. Wolowik, and A. Szummer 977 Effect of Micron-Scale Surface Deformation on the Corrosion Behavior of Coil-Coated Aluminum Alloy 5182 R.B. Leggat and S.R. Taylor 984 Stress Corrosion Cracking of Type 403 Stainless Steel in Sodium Chloride at 95°C Under Different Heat Treatment Conditions J.G. Gonzalez-Rodriguez, V.M. Salinas-Bravo, and A. Martinez-Villafañe 991	Technical Note: On Estimating Conditions for Simulating Velocity-Sensitive Corrosion in the Rotating Cylinder Electrode D.C. Silverman
November (No. 11)	Properties of Alloy 600 in Aqueous 1 M Sodium
Degradation of Protective Organic Coatings after Cupping Test F. Deflorian, L. Fedrizzi, and S. Rossi	Hydroxide Solution SI. Pyun, WJ. Lee, and JJ. Park
T. Lian and D.A. Jones	and C. Pérez
Corrosion Protection on Copper by Imidazole and its Derivatives R. Gašparac and E. Stupnišek-Lisac	H. Shuju, L. Xiaofang, Z. Shufeng, H. Yuanchun, and G. Haicheng
Nonchromate Corrosion Inhibitors	J.L. Jimenez Soler, D.J. Baxter, and J.F. Norton 1189

Subject Index

Symbols

1,2-bis(triethoxysilyl)ethane

films, nonchromate, containing molybdate on iron, 1020

Д

AA 5182

aluminum alloy, coil-coated, effect of micron-scale surface deformation. 984

AA 7075

aluminum alloy 7075-T651, intergranular corrosion, friction stir welding, 1127

Abrasion

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Acids and acid solutions. See Benzoic; Boric; Chromic; Hydrochloric; Nitric; Sulfuric

Acrylic-based coatings

coating system, corrosion-sensing behavior of, 957

Activation

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Activation energy

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

Adsorption

aluminum in nitric acid, hydroxyl group, benzoic acid, 937 organic inhibitors, mild steel in hydrochloric acid, 968

Al 2024

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Al 7075

aluminum alloy by liquid metal, transmission electron microscopy. 851

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Alkaline etching

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Alkaline solutions and environments

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52 carbon steel, hydrogen permeation in alkaline, solution containing hydrogen sulfide, cyanide ion, 24

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

silicate, effect on passive film anodically formed on iron in alkaline solutions. 17

Alkalinity

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

Alloy 214

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Alloy 600

heat treatment on, caustic stress corrosion cracking of, 1144

lead oxide on electrochemical properties, in aqueous sodium hydroxide, 1164

low-temperature stress corrosion cracking in thiosulfate and chloride. 38

Alloy 601

low-temperature stress corrosion cracking in thiosulfate and chloride. 38

Alloy 602CA

high-temperature alloys in chloridecontaining supercritical water oxidation, 45

Alloy 625

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Alloy 686

high-temperature alloys in chloridecontaining supercritical water oxidation systems. 45

Alloy G-30

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Alloys and alloying. See Aluminum; Chromium; Copper; Dealloying; Heat exchanger; Hydrogen; Iron; Lead; Magnesium; Manganese; Molybdenum; Nickel; Niobium; Oxygen; Phosphorus; Silicon; Silver; Sulfur; Tin; Titanium; Zinc; Zirconium

Aluminides

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid. 89

Aluminum and aluminum alloys. See also Alloys and alloying

aluminum alloy 7075-T651, intergranular corrosion, friction stir welding, 1127

aluminum alloy by liquid metal, transmission electron microscopy, 851

aluminum and stainless steel, bacteria biofilm, nuclear fuel,

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

B2-iron aluminide alloy, anodic dissolution in sulfuric acid, 89

boric and sulfuric acids, anodizing, film growth, 1052

chromium-saving ferritic stainless steel, electrochemical characteristics. 822

coil-coated, effect of micron-scale surface deformation. 984

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

zinc, effect on activation by lowmelting point elements in pitting corrosion, 3

Aluminum oxide

diffusion barrier layer, thermal barrier coating, 805

Ammonium heptamolybdate

films, nonchromate, containing molybdate on iron, 1020

Annealing

type 403 stainless steel, stress corrosion cracking, sodium chloride, heat, 991

Anodes

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete. 52

Anodic dissolution

B2-iron aluminide alloy, corrosion rate in sulfuric acid, 89

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

stress corrosion cracking, past, present, future of, 723

Anodic films

zirconium and anodic oxide film, influence of parameters on, 877

Anodic polarization

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

carbon steel, hydrogen permeation, alkaline solution containing hydrogen sulfide, cyanide ion, 24

chromium-saving ferritic stainless steel, electrochemical characteristics, 822

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

Aqueous solutions and environments

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

Atmosphere

steel to zinc, corrosion ratios in natural corrosion environments, 787

Atmospheric corrosion

atmospheric corrosion rate effect of distance from sea, 883 steel, resistance, 65

zinc-nickel alloy, electrodeposited coatings, 732

Atomic emission spectroscopy

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Auger electron spectroscopy

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

Auger electron spectroscopy

zinc-nickel alloy, electrodeposited coatings, 732

Austenitic stainless steel. See also by name; by type; by UNS number; Stainless Steel; Steel

stainless steels in simulated paper machine environments, comparison, 858

stainless steels, manganese, films, electron spectroscopy for chemical analysis, 1119

Automotive applications and environments

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid, 89

0

Bacterial corrosion. See Microbiologically influenced corrosion Barrier protection

zinc-rich paints, determination of cathodic protection period, 1171

Benzoic acid and solutions

aluminum in nitric acid, hydroxyl group, 937

Bicarbonate and bicarbonate solutions

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

Binding

concrete, chloride removal, cathodic protection in tidal zone, 840

Biofilms

aluminum and stainless steel, bacterial biofilm, nuclear fuel, 924

Boiling water reactors

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

Boric acid and solutions. See also Acids and acid solutions

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Bridges

steel-reinforced concrete, effect of pore saturation on cathodic protection, 52

C

Calcium hydroxide and solutions

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

Capacitance

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

Carbon dioxide corrosion

13% Cr steel, corrosion resistance of high-strength modified, 756

Carbon segregation

alloy 600, heat treatment on caustic stress corrosion cracking of, 1144

Carbon steel. See also by name; by type; by UNS number; Steel

atmospheric corrosion resistance, 65

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

in neutral solutions, electrochemical techniques, 948

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

modeling, determination of pitting corrosion for radioactive sludge in waste tanks, 31

Carbonate and carbonate solutions

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

Cathodic polarization

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Cathodic protection

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52 concrete, chloride removal, in tidal zone, 840

steel, evaluating reliability on pipe in microbial active soil, 74 zinc-rich paints, determination of cathodic protection period, 1171

Cement

chloride removal, cathodic protection in tidal zone, 840

Charge transfer

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid, 89

Charge-transfer resistance

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

Chemical conversion

coating, magnesium alloys and magnesium-based metal matrix composites, 1136

Chemical processing applications

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid, 89

Chemical processing applications and environments

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Chloride and chloride solutions

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3 atmospheric corrosion rate, effect of

distance from sea, 883 bridges, effect of concrete pore

saturation on cathodic protection of steel-reinforced concrete, 52 concrete, chloride removal, cathodic

protection in tidal zone, 840

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

nickel and chromium alloys in natural Baltic seawater, 977 reinforced concrete, migrating

corrosion inhibitor blend, 1155

stainless steels in simulated paper machine environments, comparison, 858

steel, atmospheric corrosion resistance. 65

Chloride extraction

concrete, chloride removal, cathodic protection in tidal zone, 840

Chromic acid and solutions. See also Acids and acid solutions

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Chromium and chromium alloys. See also Alloys and alloving

B2-iron aluminide alloy, corrosion rate and anodic dissolution, 89 iron-chromium-nickel, Pourbaix

diagrams for the ternary system, 1077

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

nickel and chromium alloys in natural Baltic seawater, 977

Clay

steel, evaluating cathodic protection reliability on pipe in microbial active soil, 74

Coatings. See also Acrylic-based; Coil; Conversion; Electrodeposited; Inorganic; Nickel-zinc; Organic; Phosphate; Polymers; Thermal barrier; Zinc

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

steel, evaluating cathodic protection reliability on pipe in microbial active soils, 74

zinc-rich paints, determination of cathodic protection period, 1171

Coil coating

organic coatings, degradation of protective, after cupping test, 1003

Concrete. See Reinforced concrete Constant extension rate test

alloy 600, heat treatment on caustic stress corrosion cracking of, 1144

Contact angle

films, nonchromate, containing molybdate on iron, 1020

Contact impedance

zinc-rich paints, determination of cathodic protection period, 1171

Conversion coating

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Copper and copper alloys. See also Alloys and alloying

concentration cells and pitting corrosion, 1069

in lithium bromide heavy brine, galvanic corrosion of, 795 protection by imidazole and its

protection by imidazole and its derivatives, 1031

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

steel, atmospheric corrosion resistance, 65

Copper-nickel alloys. See also Alloys and alloying

effect of elements on resistance to seawater impingement, 800

Cor-Ten A steel

atmospheric corrosion resistance, 65

Cor-Ten B steel

atmospheric corrosion resistance, 65

Corrosion. See Atmospheric; Bacterial; Carbon dioxide; Erosion; Field; Galvanic; Intergranular; Lead dioxide-induced; Localized; Microbiologically influenced; Pitting; Underfilm; Velocity-sensitive

Corrosion detection

acrylic-based coating system, corrosion-sensing behavior, 957

Corrosion fatigue

steel, environmentally assisted cracking, generator retaining rings, 1180

Corrosion mechanism

localization index, electrochemical noise analysis, 915

Corrosion potential

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

Corrosion rate

B2-iron aluminide alloy, anodic dissolution in sulfuric acid, 89

Corrosion resistance

steel, atmospheric corrosion resistance, 65

Corrosion sensing

acrylic-based coating system, 957

Coupon immersion testing

carbon steel, pitting corrosion for radioactive sludge waste tanks, 31

Cracking. See Hydrogeninduced; Stress

corrosion; Sulfide stress

Critical current density chromium-saving ferritic stainless steel, electrochemical character-

Cupping test

istics. 822

organic coatings, degradation of protective, after cupping test, 1003

Cupronickel

copper-nickel alloys, effect of elements on seawater impingement. 800

Current

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52

Current density

chromium-saving ferritic stainless steel, electrochemical characteristics. 822

Current noise

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

Cyanide and cyanide solutions

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Cyclic polarization

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

D

Data mining

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

Dealloying. See also Alloys and alloying

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Deionized water

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Delamination

organic coatings, degradation of protective, after cupping test, 1003

Detonation gun spray

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Diffusion. See also Hydrogen diffusion; Oxygen diffusion

concrete, chloride removal, cathodic protection in tidal zone, 840

Diffusion barrier

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Diffusion coefficient

steel, modeling oxygen-controlled corrosion in hot waters, 942

Diffusion layer

steel, modeling oxygen-controlled corrosion in hot waters, 942

Diglycolamine

pressure vessel steel, hydrogeninduced cracking, diglycolamine solutions, 1101

Disbonding

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

Dislocation emission

aluminum alloy by liquid metal, transmission electron microscopy, 851

Dissolution. See also Anodic

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

zirconium and anodic oxide film, influence of parameters on, 877

Dithiobiuret

mild steel, synergistic effect of iodide ions, hydrochloric acid, 919

Ductility

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

E

Electric field

concrete, chloride removal, cathodic protection in tidal zone, 840

Electrochemical impedance spectroscopy

acrylic-based coating system, corrosion-sensing behavior of, 957

aluminum alloy, coil-coated, effect of micron-scale surface deformation. 984

carbon steel in neutral solutions, electrochemical techniques, 948

copper, protection by imidazole and its derivatives, 1031

organic coatings, degradation of protective, after cupping test, 1003

organic inhibitors, mild steel in hydrochloric acid, 968

polyaniline on steel, conducting polymers and corrosion, 779

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17 zinc-nickel alloy, electrodeposited coatings, 732

zinc-rich paints, determination of cathodic protection period, 1171

Electrochemical noise

localization index, electrochemical noise analysis, 915

polyaniline on steel, conducting polymers and corrosion, 779 stress corrosion cracking, process methods, 870

Electrochemical potentiokinetic reactivation test

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

martensitic stainless steel, intergranular, by electrochemical tests, 769

Electrochemical repair

concrete, chloride removal, cathodic protection in tidal zone, 840

Electrochemical testing

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

martensitic stainless steel, intergranular, by electrochemical tests, 769

nickel and chromium alloys in natural Baltic seawater, 977

stainless steels in simulated paper machine environments, comparison, 858

Electrodeposited coatings zinc-nickel alloy, 732

Electron spectroscopy for chemical analysis

stainless steels, manganese, films, 1119

Electropolishing

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Electropotentiokinetic reactivation test

super ferritic stainless steel, corrosion and toughness, 743

Ellipsometry

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Embrittlement. See Hydrogen embrittlement; Liquid metal Environment

steel, atmospheric corrosion

resistance, 65

Environmental scanning electron microscopy

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

Equivalent circuit

carbon steel in neutral solutions, electrochemical techniques, 948

Erosion-corrosion

copper-nickel alloys, effect of elements to seawater impingement, 800

Exponential decay equation

atmospheric corrosion rate, effect of distance from sea, 883

Exposure

steel, atmospheric corrosion resistance, 65

F

Ferric and ferrous ions and alloys

ferrous materials, pitting, carbonate as function of temperature and alkalinity, 825

Ferritic stainless steel. See also by name; by type; by UNS number; Stainless steel; Steel

chromium-saving, electrochemical characteristics, 822

Ferrous materials

pitting, carbonate, as a function of temperature and alkalinity, 825

Field corrosion

steel to zinc, corrosion ratios in natural corrosion environments, 787

Film-induced cleavage

stress corrosion cracking, past, present, future of, 723

Films and film formation. See also Anodic; Biofilms; Oxides and oxide films; Passive; Polymer

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

copper-nickel alloys, effect of elements to seawater impingement, 800

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

nickel and chromium alloys in natural Baltic seawater, 977

silicate, passive films anodically formed on iron in alkaline solutions, 17

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

zirconium and anodic oxide film, influence of parameters on, 877

Fluorescence

acrylic-based coating system, corrosion-sensing behavior of, 957

Fourier transform infrared spectroscopy

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Fractures

steel, environmentally assisted cracking, generator retaining rings, 1180

Friction stir welding

aluminum alloy 7075-T651, intergranular corrosion, 1127

G

Galvanic corrosion

alloy 600, lead oxide, electrochemical properties in aqueous sodium hydroxide, 1164

aluminum and stainless steel, bacterial biofilm, nuclear fuel, 924

copper alloy, in lithium bromide heavy brine, 795

Galvanic couple

aluminum and stainless steel, bacterial biofilm, nuclear fuel, 924

Galvanized steel. See also by name; by type; by UNS number; Steel

electrochemical noise, analysis of, immersed in calcium hydroxide, 762

nonchromate corrosion inhibitors, scanning reference electrode technique, 1040

Galvele model

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Gas chromatography

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Gas turbines

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid, 89

Grain boundary

alloy 600, heat treatment on caustic stress corrosion cracking of, 1144

Н

Heat-affected zone

aluminum alloy 7075-T651, intergranular corrosion, friction stir welding, 1127

copper-nickel alloys, effect of elements to seawater impingement, 800

Heat exchanger alloys

low-alloy steels, silicon and titanium effects in coal gasification environment, 1189

Heat treatment

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38 super ferritic stainless steel,

corrosion and toughness, 743

High-level waste. See Waste High-purity water

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

High-temperature water

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

Huey test

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Humidity and relative humidity

steel, atmospheric corrosion resistance, 65

Hydrochloric acid and

solutions. See also Acids and acid solutions

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

copper, protection by imidazole and its derivatives, 1031

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

mild steel, organic inhibitors, 968 mild steel, synergistic effect of iodide ions, dithiobiurets, 919

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

Hydrogen and hydrogen alloys. See also Alloys and alloying

13% Cr steel, corrosion resistance of high-strength modified, 756

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sufide, cyanide ion, 24

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

rail steels, hydrogen embrittlement of, 892

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

Hydrogen blistering

rail steels, hydrogen embrittlement of, 892

Hydrogen diffusion

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

Hydrogen embrittlement

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

stress corrosion cracking, past, present, future of, 723

type 403 stainless steel, stress corrosion cracking, sodium chloride, heat, 991

Hydrogen-induced cracking

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

pressure vessel steel, diglycolamine solutions, 1101.

rail steels, hydrogen embrittlement of, 892

Hydrogen permeation

carbon steel, alkaline solution containing hydrogen sufide and cyanide ion, 24

Hydrogen peroxide and solutions

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

Hydrogen sulfide and solutions

13% Cr steel, corrosion resistance of high-strength modified, 756 carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion,

pressure vessel steel, hydrogeninduced cracking, diglycolamine solutions, 1101

Hydrogen water chemistry

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

Hydrolysis

oxidation in sub- and supercritical water, 1088

Hydroxyl group

aluminum in nitric acid, benzoic acid. 937

Imidazoles

copper, protection by imidazole and its derivatives, 1031

Immersion testing

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Impedance testing

zirconium and anodic oxide film, influence of parameters on, 877

Industrial applications and environ-

steel, atmospheric corrosion resistance, 65

zinc-nickel alloy, electrodeposited coatings, 732

Inhibition and inhibition efficiency

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

copper, protection by imidazole and its derivatives, 1031

mild steel, synergistic effect of iodide ions, dithiobiurets, hydrochloric acid, 919

nonchromate corrosion inhibitors, scanning reference electrode technique, 1040

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

steel, environmentally assisted cracking, generator retaining rings, 1180

Inhibitors

carbon steel in neutral solutions, electrochemical techniques, 948

organic inhibitors, mild steel in hydrochloric acid, 968

Inorganic coatings

coating, magnesium alloys and magnesium-based metal matrix composites, 1136

Intergranular corrosion

aluminum alloy 7075-T651, friction stir welding, 1127

copper-nickel alloys, effect of elements to seawater impingement, 800

martensitic stainless steel, electrochemical tests, 769

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

super ferritic stainless steel, corrosion and toughness, 7

Intergranular stress corrosion cracking

alloy 600, heat treatment on caustic stress corrosion cracking of, 1144

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

stress corrosion cracking, past, present, future of, 723

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

Intermittent cathodic protection

concrete, chloride removal, cathodic protection in tidal zone, 840

Ion exchange pigments

organic coatings, degradation of protective, after cupping test, 1003

Iron and iron alloys. See also Alloys and alloying

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid. 89

copper-nickel alloys, effect of elements to seawater impingement, 800

films, nonchromate, containing molybdate on iron, 1020

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

steel, evaluating cathodic protection reliability on pipe in microbial active soil, 74

Iron carbonate and solutions

ferrous materials, pitting, carbonate as a function of temperature and alkalinity, 825

Iron phosphate and solutions

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Iron sulfide and solutions

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Jet impingement

copper-nickel alloys, effect of elements to seawater impingement, 800

JIS SS400 mild steel. See also by name; by type; by UNS number; Steel

cathodic protection, evaluating reliability on pipe in microbial active soils, 74

N

Kurtosis

localization index, electrochemical noise analysis, 915

Lead and lead alloys. See also Alloys and alloying

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion of, 795

Lead dioxide and solutions

alloy 600, lead oxide, electrochemical properties in aqueous sodium hydroxide, 1164

Lead dioxide-induced corrosion

alloy 600, lead oxide, electrochemical properties in aqueous sodium hydroxide, 1164

Lead oxide and solutions

alloy 600, electrochemical properties in aqueous sodium hydroxide, 1164

Linear polarization

ferrous materials, pitting, carbonate as a function of temperature and alkalinity, 825

Liquid metal embrittlement

aluminum alloy by liquid metal, transmission electron microscopy, 851

Lithium bromide and solutions

copper alloy, galvanic corrosion of, 795

Localized corrosion

nonchromate corrosion inhibitors, scanning reference electrode technique, 1040

stainless steels in simulated paper machine environments, comparison, 858

Logistic regression

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

Low-alloy steel. See also by name; by type; by UNS number: Steel

atmospheric corrosion resistance, 65

M

Magnesium and magnesium alloys. See also Alloys and alloying

coating, magnesium alloys and magnesium-based metal matrix composites, 1136

Manganese and manganese alloys. See also Alloys and alloying

stainless steels, films, electron spectroscopy for chemical analysis of, 1119

Marine aerosol

atmospheric corrosion rate, effect of distance from sea, 883

Marine applications and environments. See also Seawater; Sodium chloride and solutions

atmospheric corrosion rate, effect of distance from sea, 883 nickel and chromium alloys in natural Baltic seawater, 977 steel, atmospheric corrosion resistance, 65

zinc-nickel alloy, electrodeposited coatings, 732

Markov process

pitting corrosion, application of the stochastic process, 10

Martensitic stainless steel. See also by name; by type; by UNS number; Stainless Steel; Steel

13% Cr steel, corrosion resistance of high-strength modified, 756

intergranular corrosion by electrochemical tests. 769

type 403 stainless steel, stress corrosion cracking, sodium chloride, 991

Mass-transfer coefficient

rotating cylinder electrode, velocitysensitive corrosion, 1115

Melting point

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Metastable pitting

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Microbiologically influenced corrosion. See also Sulfatereducing bacteria

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

steel, evaluating cathodic protection reliability on pipe in microbial active soils, 74

Micron-scale surface deformation

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

Migrating corrosion inhibitor

reinforced concrete, migrating corrosion inhibitor blend, 1155

Mild steel. See also by name; by type; by UNS number; Steel

localization index, electrochemical noise analysis, 915 organic inhibitors, in hydrochloric

organic inhibitors, in hydrochloric acid, 968

reinforced concrete, migrating corrosion inhibitor blend, 1155

synergistic effect of iodide ions, dithiobiurets, hydrochloric acid, 919

Modeling. See also Data mining; Galvele model; Logistic regression; Neural network; Theoretical model

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

concrete, chloride removal, cathodic protection in tidal zone, 840

pitting corrosion, application of the stochastic process. 10

Molecular interactions

hydrolysis and oxidation in suband supercritical water, 1088

Molybdenum and molybdenum alloys. See also Alloys and alloying

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

nickel and chromium alloys in natural Baltic seawater, 977

Monitoring

electrochemical noise during stress corrosion cracking, methods, 870

М

Near-neutral solutions

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

Neural network

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

Neutral solutions

carbon steel in neutral solutions, electrochemical techniques, 948

Nickel and nickel alloys. See also Alloys and alloying

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

iron-chromium-nickel, Pourbaix diagrams for the ternary system. 1077

nickel and chromium alloys in natural Baltic seawater, 977

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

zinc-nickel alloys, electrodeposited coatings, 732

Nickel-zinc coatings

zinc-nickel alloy, electrodeposited coatings, 732

Niobium and niobium alloys. See also Alloys and alloying

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

Nitrate and nitrite and solutions

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

Nitric acid and solutions. See also Acids and acid solutions

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

aluminum in nitric acid, hydroxyl group, benzoic acid, 937

Noise potential

galvanized steel, immersed in calcium hydroxide, 762

Noncytotoxic

organic inhibitors, mild steel in hydrochloric acid, 968

Non-equilibrium gas

low-alloy steels, silicon and titanium effects in coal gasification environment, 1189

Normal water chemistry

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

Normal-methyl-pyrrolidinone test

organic coatings, degradation of protective, after cupping test, 1003

Nuclear applications and environments. See also Radiation and radioactivity; Reactors

aluminum and stainless steel, bacterial biofilms, nuclear fuel, 924

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

Nuclear fuel

aluminum and stainless steel, bacterial biofilms. 924

0

Oil and gas. See also Pipelines and linepipe steel

13% Cr steel, corrosion resistance of high-strength modified, 756

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Oil country tubular goods

13% Cr steel, corrosion resistance of high-strength modified, 756

Open-circuit potential

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion, 795

Optical metallography

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Organic coatings

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

Oxadiazole

organic inhibitors, mild steel in hydrochloric acid, 968

Oxidation. See also Supercritical water oxidation

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Oxides and oxide films. See also Films and film formation; Spinel oxides; Sulfur oxide; Zirconium

copper-nickel alloys, effect of elements to seawater impingement, 800

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

zirconium and anodic oxide film, passivation and stability of, 877

Oxygen and oxygen alloys. See also Alloys and alloying

steel, modeling oxygen-controlled corrosion, in hot waters, 942 type 304 stainless steel, oxide film in water, 81

Oxygen diffusion

carbon steel in neutral solutions, electrochemical techniques, 948

Oxygen solubility

steel, modeling oxygen-controlled corrosion, in hot waters, 942

٢

Paper and pulp industry

stainless steels in simulated paper machine environments, comparison, 858

Passivation and passivity

chromium-saving ferritic stainless steel, electrochemical characteristics, 822

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion, 795

nickel and chromium alloys in natural Baltic seawater, 977

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

stainless steels in simulated paper machine environments, comparison, 858

zirconium and anodic oxide film, influence of parameters on, 877

Passive films

films, nonchromate, containing molybdate on iron, 1020

Permeation. See Hydrogen permeation

pH

acrylic-based coating system, corrosion-sensing behavior of, 957 pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

stainless steels in simulated paper machine environments, comparison, 858

steel, evaluating cathodic protection reliability on pipe in microbial active soil, 74

Phosphate coating

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Phosphorus and phosphorus alloys. See also Alloys and alloying

steel, atmospheric corrosion resistance, 65

Pipe flow

rotating cylinder electrode, velocitysensitive corrosion, 1115

Pipelines and linepipe steel. See also by name; by type; by UNS number; Oil and gas; Steel

cathodic protection, evaluating reliability in microbial active soils, 74

hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

Pitting corrosion. See also Metastable pitting

aluminum alloy 7075-T651, intergranular corrosion, friction stir welding, 1127

aluminum, effect of zinc on activation by low-melting point elements, 3

application of the stochastic process, 10

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

copper, concentration cells, 1069 ferrous materials, carbonate as a function of temperature and alkalinity, 825

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

nickel and chromium alloys in natural Baltic seawater, 977

nonchromate corrosion inhibitors, scanning reference electrode technique, 1040

reinforced concrete, migrating corrosion inhibitor blend, 1155

Pitting potential

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

chromium-saving ferritic stainless steel, electrochemical characteristics, 822 low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

stainless steels in simulated paper machine environments, comparison. 858

Plasticity

rail steels, hydrogen embrittlement of, 892

Poisson process

pitting corrosion, application of the stochastic process, 10

Polarization and polarization resistance

coating, magnesium alloys and magnesium-based metal matrix composites, 1136

films, nonchromate, containing molybdate on iron, 1020

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

organic inhibitors, mild steel in hydrochloric acid, 968

Polarization and polarization testing. See also Anodic; Cathodic; Cyclic; Linear; Potentiodynamic: Potentiostatic

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

silicate, effect on passive film anodically formed on iron in alkaline solutions. 17

Polarization resistance

B2-iron aluminide alloy, corrosion rate and anodic dissolution in sulfuric acid, 89

Polyaniline

on steel, conducting polymers and corrosion, 779

Polymer films

films, nonchromate, containing molybdate on iron, 1020

Porous electrode

zinc-rich paints, determination of cathodic protection period, 1171

Porous layers

carbon steel in neutral solutions, electrochemical techniques, 948

Potable water

copper, concentration cells and pitting corrosion of, 1069

Potassium iodide and solutions mild steel, synergistic effect of iodide ions, dithiobiurets,

iodide ions, dithiobiurets, hydrochloric acid, 919

Potassium thiocyanate and solutions

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Potential. See also Corrosion; Open-circuit; Pitting; Protection; Redox; Repassivation

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52

Potentiodynamic polarization and testing

B2-iron aluminide, corrosion rate and anodic dissolution in sulfuric acid. 89

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion, 795

mild steel, synergistic effect of iodide ions, dithiobiurets, hydrochloric acid, 919

Potentiostatic polarization and testing

steel, evaluating cathodic protection reliability on pipe in microbial active soils, 74

Pourbaix diagrams

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

Power spectral density

electrochemical noise during stress corrosion cracking, methods, 870

Pressure

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Pressure vessel steel. See also by name; by type; by UNS number; Steel

hydrogen-induced cracking, diglycolamine solutions, 1101

Pressurized-water reactors

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Probability

pitting corrosion, application of the stochastic process, 10

Process engineering

hydrolysis and oxidation in suband supercritical water, 1088

Protection potential

low-carbon steel, electrochemical corrosion geologic vadose waters, 1012

R

Radiation and radioactivity. See also Nuclear applications and environments; Reactors

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

Rail steel. See also by name; by type; by UNS number; Steel hydrogen embrittlement of, 892

Reactors. See Boiling water; Nuclear applications and environments; Pressurized water; Radiation and radioactivity

Redox potential

steel, evaluating cathodic protection reliability on pipe in microbial active soil, 74

Reinforced concrete

bridges, effect of concrete pore saturation on cathodic protection, 52

chloride removal, cathodic protection in tidal zone, 840

migrating corrosion inhibitor blend, 1155

Reinforcing steel. See also by name; by type; by UNS number; Steel

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52

Repassivation

electrochemical noise during stress corrosion cracking, methods, 870

ferrous materials, pitting, carbonate as a function of temperature and alkalinity, 825

stainless steels in simulated paper machine environments, comparison. 858

Repassivation potential

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

Resistance. See Charge-transfer; Corrosion; Polarization

Retaining ring

steel, environmentally assisted cracking, generator retaining rings, 1180

Ringer's solution

localization index, electrochemical noise analysis, 915

Rotating cylinder electrode velocity-sensitive corrosion, 1115

Rural applications and environments

steel, atmospheric corrosion resistance, 65

5

Salt fog

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Salt spray tests

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052

Scanning electron microscopy

alloy 600, lead oxide, electrochemical properties in aqueous sodium hydroxide, 1164

aluminum oxide diffusion barrier layer of thermal barrier coating, 805

copper, protection by imidazole and its derivatives, 1031

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

iron phosphate coating, chemical, electrochemical, and morphology of. 898

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

type 304 stainless steel, oxide film in water containing oxygen, hydrogen, hydrogen peroxide, 81

zinc-nickel alloy, electrodeposited coatings, 732

Scanning reference electrode technique

nonchromate corrosion inhibitors, 1040

Scratch

films, nonchromate, containing molybdate on iron, 1020

Seamless pipe

13% Cr steel, corrosion resistance of high-strength modified, 756

Seawater. See Marine applications and environments. See also Sodium chloride and solutions

atmospheric corrosion rate, effect of distance from sea, 883

copper-nickel alloys, effect of elements to seawater impingement, 800

nickel and chromium alloys in natural Baltic seawater, 977 steel to zinc, corrosion ratios in

natural corrosion environments, 787

Second-phase precipitation

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

Secondary ion mass spectrometry pipeline steel, hydrogen-facilitated

anodic dissolution stress corrosion cracking, 96

Self-healing films

films, nonchromate, containing molybdate on iron, 1020

Sensitization

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

martensitic stainless steel, intergranular, by electrochemical tests, 769 super ferritic stainless steel, corrosion and toughness of, 743

Silica and silica solutions

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

Silicates

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

Silicon and silicon alloys. See also Alloys and alloying

chromium-saving ferritic stainless steel, electrochemical characteristics, 822

low-alloy steels, silicon and titanium effects in coal gasification environment, 1189

Silver and silver alloys. See also Alloys and alloying

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion, 795

Skewness

localization index, electrochemical noise analysis, 915

Slip-step dissolution

stress corrosion cracking, past, present, future of, 723

Slow strain rate test

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

rail steels, hydrogen embrittlement of, 892

type 403 stainless steel, stress corrosion cracking, sodium chloride, heat, 991

Sodium chloride and solutions. See also Marine applications and environments; Seawater

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

aluminum, effect of zinc on activation by low-melting point elements in pitting corrosion, 3

films, nonchromate, containing molybdate on iron, 1020

localization index, electrochemical noise analysis, 915

nickel and chromium alloys in natural Baltic seawater, 977 type 403 stainless steel, stress

corrosion cracking, heat, 991
Sodium hydroxide and solutions

alloy 600, lead oxide, electrochemical properties, 1164 silicate, effect on passive film

silicate, effect on passive film anodically formed on iron in alkaline solutions, 17

Sodium molybdate and solutions

films, nonchromate, containing molybdate on iron, 1020

Sodium sulfate and solutions

B2-iron aluminide alloy, corrosion rate and anodic dissolution in sulfuric acid, 89

Sodium thiosulfate and solutions

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Soil

steel, evaluating cathodic protection reliability on pipe in microbial active, 74

steel to zinc, corrosion ratios in natural corrosion environments, 787

Spallation

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Spinel oxides

iron-chromium-nickel, Pourbaix diagrams for the ternary system, 1077

Stainless steel. See also Austenitic; by name; by type; by UNS number; Ferritic; Martensitic; Steel; Super ferritic

aluminum and stainless steel, bacterial biofilm, nuclear fuel, 924

electrochemical noise during stress corrosion cracking, methods, 870

Standard deviation

electrochemical noise during stress corrosion cracking, methods, 870

Steam generators

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

Steel. See also by name; by type; by UNS number; Carbon; Galvanized; Low-alloy; Mild; Pipelines and linepipe; Pressure vessel; Rail; Reinforcing; Stainless; Weathering

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

concrete, chloride removal, cathodic protection in tidal zone, 840

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

polyaniline on steel, conducting polymers and corrosion, 779

steel to zinc, corrosion ratios in natural corrosion environments, 787 zinc-nickel alloy, electrodeposited coatings, 732

Steel protection

zinc-rich paints, determination of cathodic protection period,

Stochastic process

pitting corrosion, application to, 10

Stress corrosion cracking. See also Intergranular; Transgranular

electrochemical noise, methods, 870

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

steel, environmentally assisted cracking, generator retaining rings, 1180

type 403 stainless steel, sodium chloride, heat, 991

Stress-oriented hydrogen-induced cracking

pressure vessel steel, diglycolamine solutions, 1101

Subtropical applications and environments

steel, atmospheric corrosion resistance. 65

Sulfate and sulfate solutions

stainless steels in simulated paper machine environments, comparison, 858

Sulfate-reducing bacteria

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

steel, evaluating cathodic protection reliability on pipe in microbial active soil, 74

Sulfide and sulfite

13% Cr steel, corrosion resistance of high-strength modified, 756

Sulfide stress cracking

13% Cr steel, corrosion resistance of high-strength modified, 756

carbon steel, hydrogen permeation in alkaline solution containing hydrogen sulfide, cyanide ion, 24

Sulfur and sulfur alloys. See also Alloys and alloying

steel, atmospheric corrosion resistance, 65

Sulfur oxide

steel, atmospheric corrosion resistance, 65

Sulfuric acid and solutions. See also Acids and acid solutions

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

aluminum alloys, boric and sulfuric acids, anodizing, film growth, 1052 B2-iron aluminide alloy, corrosion rate and anodic dissolution, 89 martensitic stainless steel, intergranular, by electrochemical tests, 769

Super ferritic stainless steel. See also by name; by type; by UNS number; Stainless Steel; Steel corrosion and toughness, 743

Supercritical water oxidation

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

hydrolysis and oxidation in suband supercritical water, 1088

Surface analysis

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Surface deformation

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

Surface mobility

stress corrosion cracking, past, present, future of, 723

Surface precipitate

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

T

Tafel slopes

B2-iron aluminide alloy, corrosion rate and anodic dissolution in sulfuric acid, 89

Temperate applications and environments

steel, atmospheric corrosion resistance, 65

Temperature

alloy 601, low-temperature stress corrosion cracking in thiosulfate and chloride solutions, 38

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

ferrous materials, pitting, carbonate
as a function of temperature and
alkalinity, 825

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

steel, atmospheric corrosion resistance, 65

Testing. See Atomic emission spectroscopy; Auger electron spectroscopy; Constant extension rate; Coupon immersion; Cupping; Cyclic polarization and testing; Electrochemical; Electrochemical impedance spectroscopy; Electrochemical potentiokinetic reactivation;

Electron spectroscopy for chemical analysis; Fourier transform infrared spectroscopy; Gas chromatography; Huey; Immersion; Impedance; Normalmethyl-pyrrolidinone: Optical metallography; Polarization; Potentiodynamic; Potentiostatic; Salt spray; Scanning electron microscopy; Secondary ion mass spectrometry; Slow strain rate; Thermodynamic analysis; Transmission electron microscopy; X-ray diffraction; X-ray diffractometry; X-ray photoelectron spectroscopy

Theoretical model

atmospheric corrosion rate, effect of distance from sea, 883

Thermal barrier coatings

aluminum oxide diffusion barrier layer, 805

Thermodynamic analysis

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

Thiosulfate and solutions

stainless steels in simulated paper machine environments, comparison, 858

Threshold stress

rail steels, hydrogen embrittlement of, 892

Time to failure

pitting corrosion, application of the stochastic process, 10

Tin and tin alloys. See also Alloys and alloying

copper alloy, in lithium bromide heavy brine environments, galvanic corrosion, 795

Titanium and titanium alloys. See also Alloys and alloying

localization index, electrochemical noise analysis, 915

low-alloy steels, silicon and titanium effects in coal gasification environment, 1189

Total film resistance

zinc-rich paints, determination of cathodic protection period, 1171

Transgranular stress corrosion cracking

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

stress corrosion cracking, past, present, future of, 723

Transmission electron microscopy aluminum alloy by liquid metal, 851

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45 type 304 stainless steel, oxide formed in water containing oxygen, hydrogen, hydrogen peroxide, 81

Type 1060 steel

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

Type 28 alloy

low-alloy steels, silicon and titanium effect in coal gasification environments, 1189

Type 304 stainless steel

electrochemical noise during stress corrosion cracking, methods, 870

oxide film formed in high-temperature water containing hydrogen, oxygen, hydrogen peroxide, 81

stainless steels, manganese, films, electron spectroscopy for chemical analysis of, 1119

Type 410 steel

low-alloy steels, silicon and titanium effect in coal gasification environments, 1189

Type 4340 steel

metals, transition, exposed to sulfate-reducing bacteria, 1062

U

Underfilm corrosion

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

UNS 97075

aluminum alloy 7075-T651, intergranular corrosion, friction stir welding, 1127

UNS A95182

aluminum alloy, coil-coated, effect of micron-scale surface deformation, 984

UNS G10161

low-carbon steel, electrochemical corrosion, geologic vadose waters, 1012

UNS G10400

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

UNS K11430. See Cor-Ten B steel UNS K11510. See Cor-Ten A steel UNS K12437

modeling, determination of pitting corrosion for radioactive sludge waste tanks, 31

UNS N06030. See Alloy G-30 UNS N06600. See Alloy 600

alloy 600, heat treatment on caustic stress corrosion cracking of,

alloy 600, lead oxide on electrochemical properties, sodium hydroxide, 1164 UNS N06602. See Alloy 602CA UNS N06625. See Alloy 625 UNS N07214. See Alloy 214 UNS N08028

low-alloy steels, silicon and titanium effect in coal gasification environments, 1189

UNS S30400. See Type 304 stainless steel

UNS \$30403

stainless steels in simulated paper machine environments, comparison, 858

UNS S31603

stainless steels in simulated paper machine environments, comparison. 858

UNS S31803

stainless steels in simulated paper machine environments, comparison, 858

UNS \$41000

low-alloy steels, silicon and titanium effect in coal gasification environments, 1189

martensitic stainless steel, intergranular, by electrochemical tests, 769

V

Vadose waters

low-carbon steel, electrochemical corrosion, 1012

Velocity-sensitive corrosion

rotating cylinder electrode, 1115

Viscosity

steel, modeling oxygen-controlled corrosion, in hot waters, 942

W

Waste

carbon steel, modeling of pitting corrosion for radioactive sludge waste tanks, 31

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

Waste treatment

hydrolysis and oxidation in suband supercritical water, 1088

Water. See Deionized; High-purity; High-temperature; Potable; Vadose

Water chemistry. See also Hydrogen water chemistry; Normal water chemistry

type 304 stainless steel, oxide films in water containing oxygen, hydrogen, hydrogen peroxide, 81

Weathering steel. See also by name; by type; by UNS number; Steel

atmospheric corrosion resistance, 65

Weight loss

high-temperature alloys in chloridecontaining supercritical water oxidation systems, 45

organic inhibitors, mild steel in hydrochloric acid, 968

X

X-52 steel

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

X-80 steel

pipeline steel, hydrogen-facilitated anodic dissolution stress corrosion cracking, 96

X-ray diffraction

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

coating, magnesium alloys and magnesium-based metal matrix composites, 1136

X-ray diffractometry

alloy 600, lead oxide on electrochemical properties, sodium hydroxide, 1164

X-ray photoelectron spectroscopy

iron phosphate coating, chemical, electrochemical, and morphology of, 898

Xenon light

artificial climatic complex accelerated corrosion testing, 498

Z

Zero resistance ammeter

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

Zinc and zinc alloys. See also Alloys and alloying

aluminum, effect on activation by low-melting point elements in pitting corrosion, 3

bridges, effect of concrete pore saturation on cathodic protection of steel-reinforced concrete, 52

galvanized steel, electrochemical noise analysis of, immersed in calcium hydroxide, 762

nonchromate corrosion inhibitors, scanning reference electrode technique, 1040

steel to zinc, corrosion ratios in natural corrosion environments, 787

zinc-nickel alloy. electrodeposited coatings, 732

zinc-rich paints, determination of cathodic protection period, 1171

Zinc coatings

steel to zinc, corrosion ratios in natural corrosion environments, 787

Zinc-rich paints

determination of cathodic protection period, 1171

Zirconium and zirconium alloys. See also Alloys and alloying

metals, transition, type 4340 steel, exposed to sulfate-reducing bacteria, 1062

zirconium and anodic oxide film, influence of parameters on, 877

Zirconium oxide

aluminum oxide diffusion barrier layer, thermal barrier coating, 805

Author Index

A

Abd El Aal, E.E., 582
Abooameri, F., 52
Adamy, S.T., 825
Agrawal, A.K., 1101
Ahn, S.-K., 187, 743
Al-Kharafi, F.M., 268
Ajmal, M., 919
Al-Anezi, M.A., 1101
Alonso-Falleiros, N., 443, 769
Amaral, S.T., 17
Angelini, E., 606
Aramaki, K., 157, 1020
Asahi, H., 644
Asakawa, Y., 522

В

Badawy, W.A., 268 Bailey, S., 469 Barcia, O.E., 732 Beard, M., 1062 Ben Bachir, A., 576 Bentiss, F., 968 Bertolini, L., 422 Beverskog, B., 1077 Bierwagen, G.P., 779 Birn, J., 977 Blázquez, F., 248 Bollini, G., 397 Briant, C.L., 128 Brookes, H., 343 Brown, C.M., 173 Brunella, M.F., 422 Buenfeld, N.R., 840 Burkert, A., 476 Burleigh, T.D., 800

C

Chen, H.N., 626 Chen, L.S., 626 Chen, S., 596 Cheng, Y.H., 667 Chi-Canul, L.P., 948 Chico, B., 883 Chin, D.-T., 229 Chu, W.Y., 667, 851, 892 Chung, N.M., 332 Clarke, P.H., 694 Clarke, S.J., 694 Cline, J.A., 1088 Covino, B.S., Jr., 635 Cox, B., 388

Cala, F.R., 825

Casal, V., 45

Candiani, S., 422

D

De Benedetti, B., 606
De Cooman, B.C., 151, 278
Deflorian, F., 1003
Dehghanian, C., 291
Diaz-Ballote, L., 762
Dirk, W.J., 924
Dowling, N.J.E., 187, 743

E

Edwards, M., 1069 Escudero, M.L., 576

E

Fabri Miranda, F.J., 732
Falleiros, I.G.S., 769
Fang, Z., 355
Farooqi, I.H., 493
Favetto, A., 699
Fedrizzi, L., 1003
Feliu, S., 319, 883
Ferng, Y.M., 332
Fodi, S., 45
Frangini, S., 89
Frankel, G.S., 139, 957, 1101
Frignani, A., 653
Fukai, H., 644

G

Gašparac, R., 1031 Galvele, J.R., 723 Gao, G., 432 García-Mazario, M., 674 Garfias-Mesias, L.F., 762 Gate, L.F., 898 Geesev. G.G., 924 Gibbon, D.L., 898 Glass, G.K., 286, 840 Goellner, J., 476 Gómez-Briceño, D., 248, 674 González, J.A., 319 Gonzalez-Rodriguez, J.G., 38, 991 Greenberg, T., 795 Gu, B., 96, 312 Guenbour, A., 576

H

Habazaki, H., 561 Hagiwara, N., 503 Hakim, A., 443 Hartt, W.H., 115, 596, Haruna, T., 462 Hassanein, A.M., 840 Hausselt, J., 45 Hernández, F., 248 Hernandez, G., Heyn, A., 476 Hickling, J., 476 Hide, K., 166 Hio, K., 822 Hirano, H., 566 Hong, H.P., 10 Hornez, J.C., 968 Hosoi, Y., 822 Hou. W.. 65 Huang, C.H., 892 Hugus, D., 115 Hwang, I.S., 616

Itzhak, D., 795

J

Jackson, K.M., 898 Janik-Czachor, M., 977 Jeanjaquet, S.L., 222 Jin, H.W., 805 Jones, D.A., 1012 Jones, H.N., III, 530 Jones-Meehan, J., 1062 Jovancicevic, V., 259, 449

K

74, 200 Kajiyama, F., Karlsen, T.M., 166 Kawamura, H., 566 Kendig, M.W., 222 Kim. H.. 743 Kim, H.-P., 380 Kim, J.-N., 743 Kim, J.-S., 512 Kim, M.C., 805 Kim, Y.-H., 187 Kim, Y.-J., 81, 456 Kimura, M., 644, 756 Kinsella, B., 469 Konys, J., 45 Koretsky, M.D., 52 Kroen, C.F., 112 Kumar, K.S., 128 Kuoh, C.-C., 554 Kurosawa, K., 238 Kushida, T., 644 Kwon, H.-S., 512

Lagrenee, M., 968 Laitinen, T.M.J., 858 Lambert, S.B., 297 Lambrakos, S.G., 530 Laycock, N.J., 590 Lee, W.-J., 380 Lee, Y.-D., 187, 743 Leggat, R.B., 984 Leifer, J., 31 Li, H.-L., 238 Li, J., 498 Li, J.X., 892 Li, M., 498 Lian, T., 1012 Liang, C., 65 Liao, T.-L., 222 Lin, Q.H., 626 Little, B.J., 1062 Liu, X.M., 851 Loeb, G.I., 1062 Long, X., 626 López, E., 699 Lopez, M.F., 576 López, W., 319 Luo, J.L., 96, 312, 870

M

Ma, K.T., 332 Ma, X.Q., 805 Ma, Y.P., 332 Macdonald, D.D., Magri, M., 769 Maizza, G., 606 Mansfeld, F., 915 Mao, X., 96, 312 Margarit, I.C.P., 732 Martinez-Villafañe, A., 38, 991 Mattos, O.R., 732 Mayuzumi, M., 166 McCune, D.C., 406 McIlree, A.R., 674 McMurray, H.N., 1040 Merati, A., 388 Mertens, S.F., 151, 278 Mickalonis, J.I., 31 Mills, W.J., 173 Miyata, Y., 756 Mogoda, A.S., 877 Morcillo, M., 883 Muller, I.L., 17 Murase, F., 756

N

Nagae, Y., 706 Nakamura, Y., 200 Nakano, Y., 756 Natishan, P.M., 1062 Navas, M., 674 Newman, R.C., 3 Nishimura, R., 24 Nomura, K., 238

0

Oguchi, N., 503 Okamura, K., 74 Okano, S., 644 Onchi, T., 166 Osella, A., 699

P

Pacheco, J.L., 112
Pae, Y., 779
Park, C.G., 805
Park, I.-G., 616
Park, J.-J., 380
Patel, S., 1069
Pech-Canul, M.A., 948
Pierson, P., 686
Plumtree, A., 297
Powell, S.M., 1040
Prince, P., 449
Puigdomenech, I., 1077
Pyun, S.-I., 380

Q

Qiao, L.J., 667, 851, 870, 892 Quraishi, M.A., 493, 919

R

Ramachandran, S., 259, 449 Ramírez, E., 319 Rawat, J., 919 Ray. R., 1062 Rebak. R.B., 412 Rhyim, Y.M., 805 Rickels, L.M., 112 Rodnyansky, A., 898 Rodriguez, P., 319 Rosalbino, F., 606 Rossi, S., 1003 Ryang, H.-S., 222

S

Sabde, G.M., 229 Saini, P.A., 493 Salinas-Bravo, V.M., 38, 991 Salvago, G., 397 Santos, R., 112 Sato, F., 3, 522 Schmidt, H., 45 Schutt, H.U., 306 Sezai Sarac, A., 661 Sezer, E., 661 Shibata, T.. 462 Shimizu, K., 561 Shimizu, M., 706 Simpson, M.W., 406 Singh, A.K., 937 Skeldon, P., 561, 1052 Smith, C.J.E., 1052 Sosa, M., 1069 Srivastava, S.K., 412 Staehle, R.W., 355 Stupnišek-Lisac, E., Su, W., 635 Su, Y.J., 851

Sun, Z., 498, 915 Sutherby, R., 297 Szummer, A., 977

T

Tallman, D.E., 779 Tan, Y.J., 469 Taylor, S.R., 984 Temmerman, E., 151, 278 Tester, J.W., 1088 Thompson, G.E., 561, 1052 Tomoe, Y., Townsend, H.E., 406, 547 Toyooka, T., 756 Trabanelli, G., 653 Traisnel, M., 968 Tromans, D., 942 Trzaskoma-Paulette, P.P., Tsai, W.-T., 554 Tsutsui, M., 822 Turnbull, A., 206

m

Ujihira, Y., 238 Urquidi-Macdonald, M., 343

V

van der Linde, W.B., 406 Vazquez, M., 343 Vitanza, C., 166

W

Wadhwani, R., 937
Waldeck, D.H., 800
Wang, Y.B., 667, 892
Wang, Z.F., 128
Warburton, P.R., 898
Warburton, Y.J., 898
Westall, J.C., 52
Wiart, R., 732
Wolowik, A., 977
Wolynec, S., 443
Wood, G.C., 561
Worsley, D.A., 1040

X

Xhoffer, C., 151, 278 Xia, Z., 139

V

Yadav, P.N.S., 937 Yamakawa, K., 24 Yamane, Y., 756 Yavuz, Ö., 661 Yu, W.Z., 312

2

Zapp, P.E., 31
Zeggaf, S., 576
Zhang, H.-J., 924
Zhang, J., 957
Zhang, L., 1052
Zhang, S., 462
Zhang, X.-Y., 297
Zhang, X.-G., 787
Zhou, X., 561
Ziomek-Moroz, M., 635

Protect Your Investment







Item # 32144 Item # 31144

\$20 Each

Order 3 or More and Save 25% — Only \$15 Each

Annual Binders for NACE Periodicals

NACE International introduces annual storage binders for *Corrosion* and *Materials Performance*. Each binder comes complete with metallic spines to hold a full year's collection. Peel-and-stick labels with each publication's name, year, and volume number are included. *Order extras to store past issues*.

Durable dark blue vinyl with silver embossing.

To order, contact NACE Membership Services Department, Phone 281/228-6223, or fax 281/228-6329, or write PO Box 218340, Houston, TX 77218-8340.

